



# RFID SYSTEM SOLUTION

Only you can't imagine that you can't do it without you

# YANZEO


## SR3308

◆SR3308 UHF RFID integrated card reader is contactless desktop reader and access control reader, which apply to center management department. It adopts advanced radio wave reception design and embedded micro controller in coordination with efficient decoding algorithm to finish the receiving EPC GEN 2 card.

◆This reader has many advantages of high sensitivity, low working current, low cost and stability etc. Access control reader apply to access control, checking attendance and charging etc. This reader is widely used in all kinds of RFID system.



front



behind



accessories



packaging

package size:200\*140\*40mm  
package weight:350g



## Specification:

ITEMS	DESCRIPTION
Model:	SR3308
System Parameter:	ARM7+UHF model
Operating Frequency:	International (920~925MHz) USA (902~928MHz) EUR(865~868MHz) Others (Customized Tag)
Read Range:	>1M
Group of reading performance:	>50 Label
Support Protocol:	ISO18000-6B, ISO18000-6C (EPC GEN2)
Frequency Hopping Mode:	Fixed Frequency Band and FHSS Software Programmable;
Operating Mode:	Master - Slave Mode (Online Mode) 、 Time Scheduled Modes、 Trigger Mode
Output Power:	0-30dBm (Adjustable)
Antenna:	2 dBi linearly polarize antenna (Integrated)
Communication Port:	USB
Power:	+5V
Prompt:	Beep or LED light flash
Power Consumption:	<1W
<b>OPERATING ENVIRONMENT</b>	
Operation:	-20℃ ~ +70℃ (Customized)
Humidity:	20% ~ 95% (without condensation)
Storage:	-40℃ ~ +125℃
<b>PHYSICAL PARAMETER</b>	
Dimension:	136x85x20MM
Net Weight:	90G
Weight:	190G
<b>ACCESSORES</b>	
Software Pack (Optional):	API Software Development Kits complete with VB, C#Sample Program

## Specification:



## Area of Application



Parking lot Management



Automotive and Transportation



Personnel management



Logistic Management



Product Line Management



Library Book Management